



RESOURCE SUMMARY:

INFERRED MINERAL SULFIDE RESOURCE - TACA TACA DEPOSIT

CuEq ⁽¹⁾ Cut-off	Tonnes Millions	Grade				Contained Metal		
		CuEq ⁽¹⁾ (%)	Cu %	Au g/t	Mo (%)	Cu lbs Billions	Au oz Millions	Mo lbs Millions
0.3	1,303	0.54	0.39	0.09	0.016	11.20	3.77	459.62
0.4	841	0.64	0.47	0.11	0.018	8.71	2.97	333.74
0.5	517	0.76	0.56	0.14	0.02	6.38	2.33	227.96
0.6	346	0.87	0.65	0.15	0.021	4.96	1.67	160.19
0.7	249	0.96	0.73	0.16	0.022	4.01	1.28	120.77

⁽¹⁾ CuEq% Assumptions: Metal prices, US\$1.50/lb Cu, US\$600/oz Au and US\$9.00/lb Mo and
 CuEQ= Cu% + (Au g/t x 0.583) + (Mo% x 6)
 Mining and metallurgical recoveries assumed to be 100%

NI 43-101; Taca Taca Technical Report; Puna (altiplano) region of NW Argentina - Prepared for Lumina Copper Corp

Qualified Person: Robert Sim, P. Geo Effective Date: October 9, 2008 Report Date: November 24, 2008

This report can be accessed as follows: [www.luminacopper.com \(projects/Taca Taca\)](http://www.luminacopper.com/projects/Taca_Taca) or SEDAR - Lumina Copper Corp - November 24, 2008

MINERAL RESOURCE – SAN JORGE DEPOSIT ⁽²⁾

Resource Category	Tonnes Millions	Grade		Contained Metal	
		Cu %	Au g/t	Cu lbs Billions	Au oz Millions
Measured + Indicated	195	0.48	0.21	2.10	1.26
Inferred	73	0.37	0.14	0.60	0.34

⁽²⁾ NI 43-101 compliant resource estimate was calculated in 2008 by Coro Mining using a 0.3% Cu cutoff

NI 43-101; Mineral Resource Model Update for San Jorge Copper-Gold Deposit; Mendoza, Argentina, prepared for Coro Mining Corp

Qualified Person: Rodrigo Mello, P. Geo of NCL Ingenieria y Construcción S.A. Dated: February 2008

This report can be accessed as follows: [www.luminacopper.com \(projects/San Jorge\)](http://www.luminacopper.com/projects/San_Jorge) or SEDAR - Coro Mining Corp - March 25, 2008